



MCDERMOTT CB&I® STORAGE TANK SOLUTIONS	
ELEVATION ELEVATED WATER STORAGE TANK COMPOSITE ELEVATED TANK _____ GALLON CAPACITY	
BY _____ DATE _____	PROJECT NO. _____
CHKD _____ DATE _____	DWG: _____ REV. _____



AZIMUTH	DESCRIPTION
	NORTH ARROW
	ELECTRIC ENTRANCE
	OVERFLOW SPLASH PAD
	PERSONNEL DOOR
	INLET/OUTLET PIPE
	SIGN/LOGO

- GENERAL NOTES**
1. CONCRETE SUPPORT STRUCTURE DIAMETER AND DIMENSIONS OF FOUNDATION SHALL BE DETERMINED BY THE TANK CONTRACTOR BASED UPON THE SOIL BEARING SPECIFIED AND THE RECOMMENDATIONS IN THE SOIL REPORT.
 2. A GALVANIZED LADDER SAFETY DEVICE MEETING OSHA STANDARDS SHALL BE PROVIDED WHEN REQUIRED.
 3. SEE SPECIFICATIONS FOR OPTIONAL ACCESSORIES AND ALTERNATE ITEMS.
 4. ALL LADDERS, LANDINGS, AND ASSOCIATED COMPONENTS INSTALLED INSIDE THE CONCRETE SUPPORT STRUCTURE SHALL BE HOT-DIPPED GALVANIZED.






MCDERMOTT
 CB&I STORAGE TANK SOLUTIONS

GENERAL PLAN
 ELEVATED WATER STORAGE TANK
 COMPOSITE ELEVATED TANK
 _____ GALLON CAPACITY

PROJECT NO. _____

BY _____ DATE _____
 CHKD _____ DATE _____

DWG. _____ REV. _____



<p>MCDERMOTT CB&I STORAGE TANK SOLUTIONS</p>		PROJECT NO.	
		GALLON CAPACITY	
DETAILS		PROJECT NO.	
ELEVATED WATER STORAGE TANK		PROJECT NO.	
COMPOSITE ELEVATED TANK		PROJECT NO.	
GALLON CAPACITY		PROJECT NO.	
BY _____	DATE _____	DWG. _____	REV. _____
CHKD _____	DATE _____		