



 <small>CB&I® STORAGE TANK SOLUTIONS</small>			
ELEVATION ELEVATED WATER STORAGE TANK WATERSPHEROID Ⓞ _____ GALLON CAPACITY			
PROJECT NO.			
BY _____	DATE _____	DWG. _____	REV. _____
CHKD _____	DATE _____		



AZIMUTH	DESCRIPTION
	NORTH ARROW
	ELECTRIC ENTRANCE
	OVERFLOW SPLASH PAD
	ACCESS DOOR
	INLET/OUTLET PIPE
	SIGN/LOGO




GENERAL NOTES

1. BASE DIAMETER AND DIMENSIONS OF FOUNDATION SHALL BE DETERMINED BY THE TANK CONTRACTOR BASED UPON THE INFORMATION IN THE GEOTECHNICAL REPORT.
2. A GALVANIZED LADDER SAFETY DEVICE MEETING OSHA STANDARDS SHALL BE PROVIDED WHEN REQUIRED.
3. SEE SPECIFICATIONS FOR OPTIONAL ACCESSORIES AND ALTERNATE ITEMS.


MCDERMOTT
CB&I® STORAGE TANK SOLUTIONS

GENERAL PLAN
ELEVATED WATER STORAGE TANK
WATERSPHEROID®
_____ GALLON CAPACITY

BY _____ DATE _____	PROJECT NO. _____
CHKD _____ DATE _____	DWG. _____ REV. _____



BURIED THRUST BLOCK DETAIL (N.I.S.)



ELECTRICAL SCHEMATIC

- ① ONE AT LOAD CENTER 48" ABOVE FLOOR
- ② ONE ABOVE CONDENSATE/BOTTOM PLATFORM
- ③ ONE ABOVE TOP PLATFORM
- ④ ONE IN ACCESS TUBE NEAR TOP HATCH

MCDERMOTT
 CB&I® STORAGE TANK SOLUTIONS

DETAILS
 ELEVATED WATER STORAGE TANK
 WATERSPHEROID®

GALLON CAPACITY _____

PROJECT NO. _____

BY _____ DATE _____

CHKD _____ DATE _____

DWG. _____ REV. _____