



MCDERMOTT		CS&I STORAGE SOLUTIONS	
ELEVATION ELEVATED WATER STORAGE TANK WATERSPHEROID ●			
PROJECT NO.		GALLON CAPACITY	
BY _____	DATE _____	DWG. _____	REV. _____
CHKD _____	DATE _____		






AZIMUTH	DESCRIPTION
	NORTH ARROW
	ELECTRIC ENTRANCE
	OVERFLOW SPLASH PAD
	ACCESS DOOR
	INLET/OUTLET PIPE
	SIGN/LOGO


GENERAL NOTES

1. BASE DIAMETER AND DIMENSIONS OF FOUNDATION SHALL BE DETERMINED BY THE TANK CONTRACTOR BASED UPON THE INFORMATION IN THE GEOTECHNICAL REPORT.
2. A GALVANIZED LADDER SAFETY DEVICE MEETING OSHA STANDARDS SHALL BE PROVIDED WHEN REQUIRED.
3. SEE SPECIFICATIONS FOR OPTIONAL ACCESSORIES AND ALTERNATE ITEMS.

BY _____ DATE _____	PROJECT NO. _____	DWG. _____	REV. _____
CHKD _____ DATE _____			



BURIED THRUST BLOCK DETAIL (N.I.S.)



- ① ONE AT LOAD CENTER 48" ABOVE FLOOR
- ② ONE ABOVE CONDENSATE/BOTTOM PLATFORM
- ③ ONE ABOVE TOP PLATFORM
- ④ ONE IN ACCESS TUBE NEAR TOP HATCH

ELECTRICAL SCHEMATIC

MCDERMOTT		CB&I STORAGE SOLUTIONS	
DETAILS			
ELEVATED WATER STORAGE TANK			
WATERSPHEROID®			
PROJECT NO.		GALLON CAPACITY	
BY _____ DATE _____	PROJECT NO.		
CHKD _____ DATE _____	DWG: _____	REV: _____	